

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
101	AFLEY, WARM-ROCK OUTCROP ASSOCIATION, 0 TO 12 PERCENT SLOPES								
		AFLEY, WARM	50	> 72	None	Very limited	Very limited	Slow	High
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
102	BADLAND								
		BADLAND	80	> 72	None	Very limited	Very limited	Slow	Very high
103	BARX LOAM, 3 TO 12 PERCENT SLOPES								
		BARX	85	> 72	None	Somewhat limited	Very limited	Moderately slow	High
104	BIEDSAW-SUNUP COMPLEX, 10 TO 40 PERCENT SLOPES								
		BIEDSAW	45	> 72	None	Very limited	Very limited	Slow	Very high
		SUNUP	35	> 72	None	Very limited	Very limited	Slow	Very high
105	BOONEVILLE, WARM-DOUGHSPON COMPLEX, 5 TO 15 PERCENT SLOPES, VERY STONY								
		BOONEVILLE, WARM	45	> 72	None	Very limited	Very limited	Moderately slow	High
		DOUGHSPON	40	27-42	None	Very limited	Very limited	Slow	Very high
106	BOONEVILLE-NEEDLETON FAMILY-DOUGHSPON COMPLEX, 5 TO 25 PERCENT SLOPES, VERY STONY								
		BOONEVILLE	40	> 72	None	Very limited	Very limited	Moderately slow	High
		NEEDLETON FAMILY	30	> 72	None	Very limited	Very limited	Moderate	Medium
		DOUGHSPON	20	27-42	None	Very limited	Very limited	Slow	Very high
107	BORALFS AND BOROLLS, CLAYEY, SLUMPED, 5 TO 65 PERCENT SLOPES								
		BOROLLS, CLAYEY, SLUMPED	45	> 72	None	Very limited	Very limited	Moderately slow	Very high
		BORALFS, CLAYEY, SLUMPED	45	> 72	None	Very limited	Very limited	Slow	Very high
108	BOROLIC CALCIORTHIDS, 25 TO 50 PERCENT SLOPES								
		BOROLIC CALCIORTHIDS	80	> 72	None	Very limited	Very limited	Moderately slow	Very high
109	BORPARK STONY LOAM, 40 TO 75 PERCENT SLOPES								
		BORPARK	80	> 72	None	Very limited	Very limited	Moderately slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
110	BROAD CANYON, WARM-BULLBASIN-CRYAQUOLLS COMPLEX, 0 TO 30 PERCENT SLOPES								
		BROAD CANYON, WARM	35	> 72	None	Very limited	Very limited	Moderate	Medium
		BULLBASIN	30	> 72	None	Very limited	Very limited	Slow	High
		CRYAQUOLLS	25	27-72	Occasional	Very limited	Very limited	Moderate	Low
111	BROAD CANYON-SCOUT FAMILY COMPLEX, 5 TO 25 PERCENT SLOPES								
		BROAD CANYON	50	> 72	None	Very limited	Very limited	Moderate	Medium
		SCOUT FAMILY	35	> 72	None	Very limited	Very limited	Moderately rapid	Low
112	BROAD CANYON-SCOUT FAMILY COMPLEX, 25 TO 65 PERCENT SLOPES								
		BROAD CANYON	50	> 72	None	Very limited	Very limited	Moderate	High
		SCOUT FAMILY	35	> 72	None	Very limited	Very limited	Moderately rapid	Medium
113	CALLINGS LOAM, 1 TO 10 PERCENT SLOPES								
		CALLINGS	80	> 72	None	Somewhat limited	Very limited	Slow	Very high
114	CASTINO-SKISAMS-WINNEMUCCA COMPLEX, 1 TO 10 PERCENT SLOPES, STONY								
		CASTINO	40	> 72	None	Very limited	Very limited	Slow	High
		SKISAMS	25	> 72	None	Very limited	Very limited	Slow	Very high
		WINNEMUCCA	20	> 72	None	Somewhat limited	Somewhat limited	Slow	High
115	CERRO SILTY CLAY LOAM, 12 TO 25 PERCENT SLOPES								
		CERRO	80	> 72	None	Very limited	Very limited	Slow	Very high
116	CERRO-HERM COMPLEX, 0 TO 15 PERCENT SLOPES								
		CERRO	45	> 72	None	Very limited	Very limited	Slow	Very high
		HERM	40	> 72	None	Very limited	Very limited	Slow	Very high
117	CERRO-HERM COMPLEX, 15 TO 40 PERCENT SLOPES								
		CERRO	45	> 72	None	Very limited	Very limited	Slow	Very high
		HERM	40	> 72	None	Very limited	Very limited	Slow	Very high
118	CHAIN-AGUA FRIA, MOIST COMPLEX, 15 TO 40 PERCENT SLOPES								
		CHAIN	60	> 72	None	Very limited	Very limited	Slow	Very high
		AGUA FRIA, MOIST	25	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
119	CLAPPER-AGUA FRIA COMPLEX, MOIST, 5 TO 25 PERCENT SLOPES, EXTREMELY STONY								
		CLAPPER, MOIST	45	> 72	None	Very limited	Very limited	Moderate	Medium
		AGUA FRIA, MOIST	40	> 72	None	Very limited	Very limited	Slow	Very high
120	CLAPPER-AGUA FRIA COMPLEX, MOIST, 25 TO 65 PERCENT SLOPES, EXTREMELY STONY								
		CLAPPER, MOIST	45	> 72	None	Very limited	Very limited	Moderate	High
		AGUA FRIA, MOIST	40	> 72	None	Very limited	Very limited	Slow	Very high
121	CLAYBURN, WARM-BOONEVILLE-NEEDLETON FAMILY COMPLEX, 25 TO 65 PERCENT SLOPES								
		CLAYBURN, WARM	40	> 72	None	Very limited	Very limited	Moderately slow	Very high
		BOONEVILLE	25	> 72	None	Very limited	Very limited	Moderately slow	Very high
		NEEDLETON FAMILY	20	> 72	None	Very limited	Very limited	Moderate	High
122	CLAYBURN-QUANDER-GUERO COMPLEX, 5 TO 30 PERCENT SLOPES								
		CLAYBURN	35	> 72	None	Very limited	Very limited	Moderately slow	High
		QUANDER	30	> 72	None	Very limited	Very limited	Slow	Medium
		GUERO	20	> 72	None	Very limited	Very limited	Slow	Very high
123	CLAYBURN-QUANDER-GUERO COMPLEX, 30 TO 65 PERCENT SLOPES								
		CLAYBURN	35	> 72	None	Very limited	Very limited	Moderately slow	Very high
		QUANDER	30	> 72	None	Very limited	Very limited	Slow	High
		GUERO	20	> 72	None	Very limited	Very limited	Slow	Very high
124	COBERLY-FALCON, DRY COMPLEX, 0 TO 15 PERCENT SLOPES								
		COBERLY	45	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
		FALCON, DRY	40	> 72	None	Very limited	Very limited	Slow	Very high
125	COCHETOPA-CLAYBURN COMPLEX, 12 TO 40 PERCENT SLOPES								
		COCHETOPA	50	> 72	None	Very limited	Very limited	Slow	Very high
		CLAYBURN	30	> 72	None	Very limited	Very limited	Moderately slow	Very high
126	COWOOD FAMILY-HETERWA COMPLEX, 0 TO 15 PERCENT SLOPES								
		COWOOD FAMILY	45	> 72	None	Very limited	Very limited	Slow	Very high
		HETERWA	40	> 72	None	Very limited	Very limited	Slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
127	CRYAQUOLLS AND BOROHEMISTS, 0 TO 10 PERCENT SLOPES								
		BOROHEMISTS	40	6-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
		CRYAQUOLLS	40	27-72	Occasional	Very limited	Very limited	Moderate	Medium
128	CRYOBORALFS, CRYOCHREPTS, AND RUBBLE LAND, 5 TO 65 PERCENT SLOPES								
		CRYOBORALFS	30	> 72	None	Very limited	Very limited	Moderate	High
		CRYOCHREPTS	30	> 72	None	Very limited	Very limited	Slow	High
		RUBBLE LAND	30	> 72	None	Very limited	Very limited	Very rapid	Low
129	CRYOBORALFS, CRYOCHREPTS, AND RUBBLE LAND, 65 TO 99 PERCENT SLOPES								
		CRYOBORALFS	30	> 72	None	Very limited	Very limited	Moderate	High
		CRYOCHREPTS	30	> 72	None	Very limited	Very limited	Slow	High
		RUBBLE LAND	30	> 72	None	Very limited	Very limited	Very rapid	Low
130	CRYOCHREPTS-CRYOBOROLLS-RUBBLE LAND COMPLEX, 15 TO 90 PERCENT SLOPES								
		CRYOCHREPTS	35	> 72	None	Very limited	Very limited	Slow	High
		CRYOBOROLLS	30	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		RUBBLE LAND	25	> 72	None	Very limited	Very limited	Very rapid	Low
131	CUMULIC HAPLOBOROLLS, 1 TO 3 PERCENT SLOPES								
		CUMULIC HAPLOBOROLLS	85	> 72	None	Very limited	Very limited	Slow	Very low
132	DELSON-FUGHES COMPLEX, 5 TO 25 PERCENT SLOPES								
		DELSON	55	> 72	None	Very limited	Very limited	Slow	Very high
		FUGHES	30	> 72	None	Very limited	Very limited	Slow	Very high
133	DELSON-FUGHES COMPLEX, 25 TO 65 PERCENT SLOPES								
		DELSON	55	> 72	None	Very limited	Very limited	Slow	Very high
		FUGHES	30	> 72	None	Very limited	Very limited	Slow	Very high
134	DOMINGUEZ CLAY LOAM, 3 TO 8 PERCENT SLOPES								
		DOMINGUEZ	80	> 72	None	Very limited	Somewhat limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
135	DOUGHSPON, DRY-WESDY COMPLEX, 5 TO 25 PERCENT SLOPES								
		DOUGHSPON, DRY	50	> 72	None	Very limited	Very limited	Slow	Very high
		WESDY	35	> 72	None	Very limited	Very limited	Slow	Very high
136	EMPEDRADO LOAM, 25 TO 45 PERCENT SLOPES								
		EMPEDRADO	80	> 72	None	Very limited	Very limited	Moderately slow	Very high
137	EMPEDRADO-PAGODA-GODDING COMPLEX, 6 TO 25 PERCENT SLOPES, STONY								
		EMPEDRADO	35	> 72	None	Very limited	Very limited	Moderately slow	High
		PAGODA	30	> 72	None	Very limited	Very limited	Slow	Very high
		GODDING	25	> 72	None	Very limited	Very limited	Slow	Very high
138	EVANOT LOAM, 1 TO 5 PERCENT SLOPES								
		EVANOT	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
139	EVANOT LOAM, 5 TO 20 PERCENT SLOPES								
		EVANOT	90	> 72	None	Somewhat limited	Very limited	Moderately slow	High
140	FALCON, DRY-COBERLY, COOL COMPLEX, 25 TO 65 PERCENT SLOPES								
		FALCON, DRY	50	> 72	None	Very limited	Very limited	Slow	Very high
		COBERLY, COOL	35	> 72	None	Very limited	Very limited	Moderately slow	High
141	FALCON-ROCK OUTCROP COMPLEX, 25 TO 65 PERCENT SLOPES								
		FALCON	50	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	40	> 72	None	Very limited	Very limited	Slow	Very high
142	FOLA COBBLY SANDY LOAM, 1 TO 8 PERCENT SLOPES								
		FOLA	90	> 72	None	Very limited	Very limited	Moderately rapid	Low
143	FUGHES CLAY LOAM, 2 TO 6 PERCENT SLOPES								
		FUGHES	80	> 72	None	Very limited	Somewhat limited	Slow	High
144	FUGHES CLAY LOAM, 3 TO 9 PERCENT SLOPES, STONY								
		FUGHES	80	> 72	None	Very limited	Somewhat limited	Slow	Very high
145	FUGHES-HESPERUS COMPLEX, 3 TO 12 PERCENT SLOPES								
		FUGHES	60	> 72	None	Very limited	Very limited	Slow	Very high
		HESPERUS	25	> 72	None	Somewhat limited	Very limited	Moderately slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
146	FUGHES-KOLOB FAMILY, WARM COMPLEX, 5 TO 45 PERCENT SLOPES								
		FUGHES	45	> 72	None	Very limited	Very limited	Slow	Very high
		KOLOB FAMILY, WARM	40	> 72	None	Very limited	Very limited	Slow	Very high
147	GAS CREEK SANDY LOAM, 0 TO 1 PERCENT SLOPES								
		GAS CREEK	85	18-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
148	GODDING STONY LOAM, 9 TO 25 PERCENT SLOPES, EXTREMELY BOULDERY								
		GODDING	80	> 72	None	Very limited	Very limited	Slow	Very high
149	GODDING-KOLOB FAMILY-DELSON COMPLEX, 5 TO 25 PERCENT SLOPES, VERY STONY								
		GODDING	30	> 72	None	Very limited	Very limited	Slow	Very high
		KOLOB FAMILY	30	> 72	None	Very limited	Very limited	Slow	Very high
		DELSON	25	> 72	None	Very limited	Very limited	Slow	Very high
150	GODDING-KOLOB FAMILY-DELSON COMPLEX, 25 TO 65 PERCENT SLOPES, EXTREMELY STONY								
		GODDING	30	> 72	None	Very limited	Very limited	Slow	Very high
		KOLOB FAMILY	30	> 72	None	Very limited	Very limited	Slow	Very high
		DELSON	25	> 72	None	Very limited	Very limited	Slow	Very high
151	GRANDMESA-ELKWALOW-DOUGHSPON COMPLEX, 0 TO 10 PERCENT SLOPES								
		GRANDMESA	35	> 72	None	Very limited	Very limited	Slow	Very high
		ELKWALOW	30	24-48	None	Very limited	Somewhat limited	Slow	High
		DOUGHSPON	25	27-42	None	Very limited	Somewhat limited	Slow	Very high
152	HANDRAN-LEAPS-EMERALD COMPLEX, 0 TO 15 PERCENT SLOPES, VERY STONY								
		HANDRAN	35	> 72	None	Very limited	Very limited	Moderately rapid	Low
		LEAPS	30	> 72	None	Very limited	Very limited	Slow	Very high
		EMERALD	25	> 72	None	Somewhat limited	Very limited	Moderate	Medium
153	HAPLOBOROLLS-USTOCHREPTS-ROCK OUTCROP COMPLEX, 40 TO 99 PERCENT SLOPES								
		HAPLOBOROLLS	35	> 72	None	Very limited	Very limited	Moderately slow	Very high
		USTOCHREPTS	30	> 72	None	Very limited	Very limited	Slow	High
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
154	HAVILAND-NEEDLETON FAMILIES COMPLEX, 10 TO 65 PERCENT SLOPES								
		HAVILAND FAMILY	50	> 72	None	Very limited	Very limited	Moderate	High
		NEEDLETON FAMILY	35	> 72	None	Very limited	Very limited	Moderate	High
155	HAYRACK-MUGGINS-NUTRAS COMPLEX, 5 TO 40 PERCENT SLOPES								
		HAYRACK	30	> 72	None	Very limited	Very limited	Slow	Very high
		MUGGINS	30	> 72	None	Very limited	Very limited	Slow	Very high
		NUTRAS	30	> 72	None	Very limited	Very limited	Moderately slow	Very high
156	HAYRACK-MUGGINS-NUTRAS COMPLEX, 40 TO 65 PERCENT SLOPES								
		HAYRACK	30	> 72	None	Very limited	Very limited	Slow	Very high
		MUGGINS	30	> 72	None	Very limited	Very limited	Slow	Very high
		NUTRAS	30	> 72	None	Very limited	Very limited	Moderately slow	Very high
157	HERM-FUGHES COMPLEX, 5 TO 25 PERCENT SLOPES								
		HERM	45	> 72	None	Very limited	Very limited	Slow	Very high
		FUGHES	40	> 72	None	Very limited	Very limited	Slow	Very high
158	HERM-FUGHES-KOLOB FAMILY COMPLEX, 25 TO 40 PERCENT SLOPES								
		HERM	35	> 72	None	Very limited	Very limited	Slow	Very high
		FUGHES	30	> 72	None	Very limited	Very limited	Slow	Very high
		KOLOB FAMILY	25	> 72	None	Very limited	Very limited	Slow	Very high
159	HESPERUS-EMPEDRADO, MOIST-PAGODA COMPLEX, 5 TO 35 PERCENT SLOPES								
		HESPERUS	35	> 72	None	Very limited	Very limited	Moderately slow	Very high
		EMPEDRADO, MOIST	30	> 72	None	Very limited	Very limited	Moderately slow	Very high
		PAGODA	20	> 72	None	Very limited	Very limited	Slow	Very high
160	HESPERUS-EMPEDRADO, MOIST-PAGODA COMPLEX, 35 TO 55 PERCENT SLOPES								
		HESPERUS	35	> 72	None	Very limited	Very limited	Moderately slow	Very high
		EMPEDRADO, MOIST	30	> 72	None	Very limited	Very limited	Moderately slow	Very high
		PAGODA	20	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
161	HESPERUS-PAGODA COMPLEX, 3 TO 12 PERCENT SLOPES								
		HESPERUS	45	> 72	None	Somewhat limited	Very limited	Moderately slow	High
		PAGODA	40	> 72	None	Very limited	Very limited	Slow	Very high
162	IRIM LOAM, 0 TO 1 PERCENT SLOPES								
		IRIM	85	12-72	Occasional	Very limited	Very limited	Moderate	Low
163	IRSON-NAMELA COMPLEX, 25 TO 65 PERCENT SLOPES								
		IRSON	50	> 72	None	Very limited	Very limited	Slow	Very high
		NAMELA	35	> 72	None	Very limited	Very limited	Slow	High
164	IRSON-NAMELA-DOUGHSPON, WELL DRAINED COMPLEX, 0 TO 10 PERCENT SLOPES, EXTREMELY STONY								
		IRSON	45	> 72	None	Very limited	Very limited	Slow	Very high
		NAMELA	25	> 72	None	Very limited	Very limited	Slow	High
		DOUGHSPON, WELL DRAINED	20	> 72	None	Somewhat limited	Somewhat limited	Slow	Very high
165	KOLOB FAMILY, DRY-FUGHES COMPLEX, 5 TO 45 PERCENT SLOPES, EXTREMELY STONY								
		KOLOB FAMILY, DRY	60	> 72	None	Very limited	Very limited	Slow	Very high
		FUGHES	25	> 72	None	Very limited	Very limited	Slow	Very high
166	LEROUX-SEITZ COMPLEX, 5 TO 40 PERCENT SLOPES								
		LEROUX	45	30-72	None	Very limited	Very limited	Slow	Very high
		SEITZ	40	> 72	None	Very limited	Very limited	Slow	Very high
167	MORAN-RUBBLE LAND COMPLEX, 40 TO 99 PERCENT SLOPES								
		MORAN	55	> 72	None	Very limited	Very limited	Moderate	High
		RUBBLE LAND	25	> 72	None	Very limited	Very limited	Very rapid	Low
168	NAMELA, MOIST-BULLBASIN-DOUGHSPON COMPLEX, 0 TO 10 PERCENT SLOPES								
		NAMELA, MOIST	40	> 72	None	Very limited	Very limited	Slow	High
		BULLBASIN	30	> 72	None	Somewhat limited	Somewhat limited	Slow	High
		DOUGHSPON	20	27-72	None	Very limited	Somewhat limited	Slow	Very high
169	NEEDLETON FAMILY-CRYAQUOLLS COMPLEX, 0 TO 40 PERCENT SLOPES								
		NEEDLETON FAMILY	65	> 72	None	Very limited	Very limited	Moderate	High
		CRYAQUOLLS	20	27-72	Occasional	Very limited	Very limited	Moderate	Low



Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
170	NEEDLETON-SCOUT FAMILIES COMPLEX, 5 TO 40 PERCENT SLOPES								
		NEEDLETON FAMILY	55	> 72	None	Very limited	Very limited	Moderate	High
		SCOUT FAMILY	30	> 72	None	Very limited	Very limited	Moderately rapid	Medium
171	NORTHWATER-ADEL COMPLEX, 5 TO 50 PERCENT SLOPES								
		NORTHWATER	50	> 72	None	Very limited	Very limited	Moderate	Medium
		ADEL	40	> 72	None	Very limited	Very limited	Moderately slow	Very high
172	NUTRAS-TELLURA COMPLEX, 5 TO 40 PERCENT SLOPES								
		NUTRAS	45	> 72	None	Very limited	Very limited	Moderately slow	Very high
		TELLURA	40	> 72	None	Very limited	Very limited	Slow	Very high
173	OWEN CREEK-SCOUT FAMILIES COMPLEX, 5 TO 65 PERCENT SLOPES								
		OWEN CREEK FAMILY	55	> 72	None	Very limited	Very limited	Slow	Very high
		SCOUT FAMILY	30	> 72	None	Very limited	Very limited	Moderately rapid	Medium
174	PAGODA-HESPERUS COMPLEX, 12 TO 40 PERCENT SLOPES								
		PAGODA	50	> 72	None	Very limited	Very limited	Slow	Very high
		HESPERUS	30	> 72	None	Very limited	Very limited	Moderately slow	Very high
175	PAPASPILA GRAVELLY LOAM, WARM, 12 TO 40 PERCENT SLOPES								
		PAPASPILA, WARM	80	> 72	None	Very limited	Very limited	Moderate	High
176	PAPASPILA, MOIST-DOUGHSPON-SCOUT FAMILY COMPLEX, 3 TO 30 PERCENT SLOPES, VERY STONY								
		PAPASPILA, MOIST	40	27-72	None	Very limited	Very limited	Moderate	Medium
		DOUGHSPON	25	27-72	None	Very limited	Very limited	Slow	Very high
		SCOUT FAMILY	20	> 72	None	Very limited	Very limited	Moderately rapid	Low
177	PARACHUTE-IRIGUL COMPLEX, 5 TO 30 PERCENT SLOPES								
		PARACHUTE	60	> 72	None	Very limited	Very limited	Slow	High
		IRIGUL	30	> 72	None	Very limited	Very limited	Slow	Very high
178	PARACHUTE-IRIGUL-RHONE ASSOCIATION, 25 TO 50 PERCENT SLOPES								
		PARACHUTE	35	> 72	None	Very limited	Very limited	Slow	High
		IRIGUL	30	> 72	None	Very limited	Very limited	Slow	Very high
		RHONE	20	> 72	None	Very limited	Very limited	Slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
179	ROCK OUTCROP								
		ROCK OUTCROP	80	> 72	None	Very limited	Very limited	Very slow	Very high
180	ROCK OUTCROP, SHALE								
		ROCK OUTCROP, SHALE	80	> 72	None	Very limited	Very limited	Very slow	Very high
181	ROCK OUTCROP-TORRIORTHENTS, 15 TO 90 PERCENT SLOPES								
		ROCK OUTCROP	60	> 72	None	Very limited	Very limited	Slow	Very high
		TORRIORTHENTS	30	> 72	None	Very limited	Very limited	Moderate	High
182	RUBBLE LAND								
		RUBBLE LAND	80	> 72	None	Very limited	Very limited	Very rapid	Low
183	SCOUT-NEEDLETON FAMILIES COMPLEX, 40 TO 65 PERCENT SLOPES								
		SCOUT FAMILY	60	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		NEEDLETON FAMILY	30	> 72	None	Very limited	Very limited	Moderate	High
184	SETH-NORDICOL COMPLEX, 10 TO 65 PERCENT SLOPES								
		SETH	50	> 72	None	Very limited	Very limited	Slow	High
		NORDICOL	40	> 72	None	Very limited	Very limited	Moderate	Medium
185	SHAWA-SANDIA FAMILY-KOLOB FAMILY COMPLEX, 5 TO 40 PERCENT SLOPES								
		SHAWA	35	> 72	None	Very limited	Very limited	Moderate	High
		SANDIA FAMILY	30	> 72	None	Very limited	Very limited	Slow	Very high
		KOLOB FAMILY	25	> 72	None	Very limited	Very limited	Slow	Very high
186	SHAWA-SANDIA FAMILY-KOLOB FAMILY COMPLEX, 40 TO 65 PERCENT SLOPES								
		SHAWA	35	> 72	None	Very limited	Very limited	Moderate	High
		SANDIA FAMILY	30	> 72	None	Very limited	Very limited	Slow	Very high
		KOLOB FAMILY	25	> 72	None	Very limited	Very limited	Slow	Very high
187	SKISAMS-SECONDSET COMPLEX, 0 TO 10 PERCENT SLOPES								
		SKISAMS	50	> 72	None	Very limited	Very limited	Slow	Very high
		SECONDSET	35	> 72	None	Very limited	Very limited	Very slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
188	TATERHEAP-PAPASPILA COMPLEX, 5 TO 40 PERCENT SLOPES								
		TATERHEAP	50	> 72	None	Very limited	Very limited	Moderate	High
		PAPASPILA	35	> 72	None	Very limited	Very limited	Moderate	High
189	TATERHEAP-PAPASPILA COMPLEX, 40 TO 65 PERCENT SLOPES								
		TATERHEAP	50	> 72	None	Very limited	Very limited	Moderate	High
		PAPASPILA	35	> 72	None	Very limited	Very limited	Moderate	High
190	TEEWINOT-AFLEY COMPLEX, 25 TO 65 PERCENT SLOPES								
		TEEWINOT	45	> 72	None	Very limited	Very limited	Slow	Very high
		AFLEY	35	> 72	None	Very limited	Very limited	Slow	High
191	TELLURA-JERRY COMPLEX, 5 TO 40 PERCENT SLOPES								
		TELLURA	55	> 72	None	Very limited	Very limited	Slow	Very high
		JERRY	30	> 72	None	Very limited	Very limited	Slow	Very high
192	TORRIORTHENTS, COOL-ROCK OUTCROP, 35 TO 90 PERCENT SLOPES								
		TORRIORTHENTS, COOL	55	> 72	None	Very limited	Very limited	Moderately slow	Very high
		ROCK OUTCROP	35	> 72	None	Very limited	Very limited	Very slow	Very high
193	TORRIORTHENTS, WARM-ROCK OUTCROP, 35 TO 90 PERCENT SLOPES								
		TORRIORTHENTS, WARM	50	> 72	None	Very limited	Very limited	Moderate	High
		ROCK OUTCROP	40	> 72	None	Very limited	Very limited	Slow	Very high
194	TOSCA CHANNERY LOAM, 25 TO 80 PERCENT SLOPES								
		TOSCA	80	> 72	None	Very limited	Very limited	Moderately rapid	Medium
195	WEED-HERM COMPLEX, 0 TO 25 PERCENT SLOPES								
		WEED	50	> 72	None	Somewhat limited	Very limited	Moderately slow	High
		HERM	30	> 72	None	Very limited	Very limited	Slow	Very high
196	WESDY STONY LOAM, 9 TO 25 PERCENT SLOPES, VERY BOULDERY								
		WESDY	75	> 72	None	Very limited	Very limited	Slow	Very high
197	WESDY-MUDBUZ COMPLEX, 10 TO 40 PERCENT SLOPES								
		WESDY	55	> 72	None	Very limited	Very limited	Slow	Very high
		MUDBUZ	30	> 72	None	Very limited	Very limited	Moderately slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
198	WESDY-NORTHWATER COMPLEX, 25 TO 65 PERCENT SLOPES, VERY BOULDERY								
		WESDY	45	> 72	None	Very limited	Very limited	Slow	Very high
		NORTHWATER	40	> 72	None	Very limited	Very limited	Moderate	Medium
199	WETOPA-HAYRACK COMPLEX, 5 TO 40 PERCENT SLOPES								
		WETOPA	55	> 72	None	Very limited	Very limited	Slow	Very high
		HAYRACK	30	> 72	None	Very limited	Very limited	Slow	Very high
200	WETOPA-WESDY COMPLEX, 5 TO 65 PERCENT SLOPES								
		WETOPA	50	> 72	None	Very limited	Very limited	Slow	Very high
		WESDY	35	> 72	None	Very limited	Very limited	Slow	Very high
201	WOODHALL-BUSHVALLEY COMPLEX, 15 TO 65 PERCENT SLOPES								
		WOODHALL	55	> 72	None	Very limited	Very limited	Slow	High
		BUSHVALLEY	30	> 72	None	Very limited	Very limited	Slow	Very high
202	WOODHALL, DRY-BUSHVALLEY COMPLEX, 5 TO 40 PERCENT SLOPES								
		WOODHALL, DRY	65	> 72	None	Very limited	Very limited	Slow	High
		BUSHVALLEY	20	> 72	None	Very limited	Very limited	Slow	Very high
203	WATER								
		WATER	100	> 72	Not Rated	Not limited	Not limited	NA	Not Rated